

RANGE

CODE

MODEL

**FUNCTION** 

MI - 70

MAMC0001220

FT78GLCT

Griddles

**ITEM** 

## Gas griddle top with smooth chromed plate





RANGE CODE MODEL FUNCTION

MI - 70 MAMCOOOI220 FT78GLCT Griddles

ITEM

### Gas griddle top with smooth chromed plate



#### **TECHNICAL SPECIFICATIONS**

WIDTH (mm):	800
DEPTH (mm):	750
HEIGHT (mm):	250
WEIGHT (Kg):	93
VOLUME (m <sup>3</sup> ):	0.4
GAS POWER (kW):	14
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	735x53O mm
COOKING ZONE DETAILS:	2x 7 kW
PRODUCT SPECIFICATIONS:	Smooth Chromed Plate
TEMP. RANGE (°C):	O-28O °C

#### DESCRIPTION

Gas griddle in AISI 3O4 stainless steel. 2O/IO pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Cooking surface with smooth mirror-polished chrome hotplate. Hotplate recessed 4O mm compared to worktop, fully welded construction for guaranteed ease of cleaning. Cooking surface with 65 mm cold zone at front of hotplate. Round Ø 4O mm drain hole for fat. Grease collection tub with I.5 litre capacity. Heating by means of steel stabilised flame burner having 2 branches and 4 rows of flames for each zone, complete with pilot flame and safety thermocouple. Heating control knob shaped to prevent water infiltration. Gas supply controlled by thermostatic valve with safety thermocouple. Cooking temperature manually controlled from 90°C to 280°C. Automatic ignition by means of piezoelectric device with waterproof cap. Cooking surface 735x53O mm. Scraper supplied for smooth hotplate. The product complies with EC regulation 1935/2004 and Italian ministerial decree 21/O3/1973 (Materials and Objects intended to come into contact with Food) MOCA.





RANGE CODE

MODEL

**FUNCTION** 

MI - 70


MAMC0001220

FT78GLCT

Griddles

**ITEM** 

## Gas griddle top with smooth chromed plate



# INSTALLATION SPECIFICATIONS

(G) Gas Inlet: Ø1/2"

