



www.santos.fr



AUTOMATIC CITRUS JUICER WITH LEVER #10

The genuine commercial
citrus juicer since 1954.
Ideal for hotels, bars, restaurants.



Internationally Patented Models






AUTOMATIC CITRUS

EASY TO USE



- **The automatic citrus juicer with lever #10** is the ideal product to make juice by glass
- It is equipped with a heavy duty and quiet asynchronous motor
- For use everywhere you need a **fresh squeezed citrus juice**: juice bars, health food stores, hotels, bars, restaurants, cafeterias, ice cream shops, institutions, hospitals...



Output: 30l/h

JUICER WITH LEVER #10



THE PROFESSIONAL ART OF JUICING SINCE 1954

www.santos.fr

You will find the citrus juicer of your need to make citrus juices either in a glass or in a jug.

Equipped with powerful asynchronous motors, these appliances allow you to squeeze all types of citrus: lime, lemon, orange or grapefruit. All of these juicers are easy to use and clean: all the parts which are in contact with the fruits are removable.



TECHNICAL SPECIFICATIONS



Motor


Single phase: 100-120V - 50/60 Hz - 260W - NSF, CE, UL
220-240V - 50/60 Hz - 230W - CE

Speed: | 500rpm (50 Hz)
| 800rpm (60 Hz)




Weight

Net: 9.2kg (20.3 lbs)
Shipping: 10kg (22 lbs)



APPLIANCE
W: 200mm (8")
D: 300mm (12")
H: 380mm (15")



SHIPPING BOX
W: 250mm (10")
D: 340mm (13")
H: 440mm (17")

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations:

Machinery directive 2006/42/EC
Electromagnetic compatibility 2014/30/EU
"Low voltage" directive 2014/35/EU
RoHs directive 2011/65/EU
Regulation 1935/2004/EC (contact with food)

Harmonized European standards:

EN ISO 12100 - 1 AND 2: 2004
EN 60204-1: 2006
EN 60335-2-64: 2004: commercial electric kitchen machines

CE (European standards), UL (USA & Canada), NSF (USA)

Thermal safety

Motor protected by internal thermal detector.

Electrical safety

- On/Off interlock switch is waterproof.
- All mechanical parts are ground (earth) connected.
- All equipment is perfectly controlled after assembly (special electrical testing bay).

Acoustic safety

The asynchronous motor with clutch system is particularly silent.

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR WARRANTY